


# Lumami® HV TRACK

## Gooseneck 10 cm



### Produktbeschreibung

Lumami® HV TRACK mit 10 cm Schwannenhals. Die lineare Stromschienenleuchte.

Verfügbar in Weiß und Schwarz, mit und ohne Dimmung. Zur Verwendung der LTwo® MAG in Konstantstrom oder Konstantspannung von 360 bis 6.400 Lumen und 12 verschiedenen Optiken (von Narrowspot, über Wide Flood (UGR<19) bis Wallwasher). Kompatibel mit vielen handelsüblichen 3-Phasen Stromschienen.

### Product description

Lumami® HV TRACK with 10 cm gooseneck. The linear track luminaire.

Available in white and black, with and without dimming. For use with LTwo® MAG in constant current or constant voltage from 360 to 6,400 lumens and 12 different optics (from narrow spot to wide flood (UGR<19) to wallwasher). Compatible with many commercially available 3-phase tracks.

### Produkteigenschaften / Product features



Product	OP	Color	Dim	Art. Nr.
Lumami HV TRACK in constant current for LTwo MAG 562-1122mm - Dimmable with CASAMBI - GN 10cm in white	CC	white	CASAMBI	15252
Lumami HV TRACK in constant current for LTwo MAG 562-1122mm - Dimmable with CASAMBI - GN 10cm in black	CC	black	CASAMBI	15253
Lumami HV TRACK in constant current for LTwo MAG 1402mm - Dimmable with CASAMBI - GN 10cm in white	CC	white	CASAMBI	15254
Lumami HV TRACK in constant current for LTwo MAG 1402mm - Dimmable with CASAMBI - GN 10cm in black	CC	black	CASAMBI	15255
Lumami HV TRACK in constant current for LTwo MAG 282-842mm - Dimmable with DALI - GN 10cm in white	CC	white	DALI	18406
Lumami HV TRACK in constant current for LTwo MAG 282-842mm - Dimmable with DALI - GN 10cm in black	CC	black	DALI	18407
Lumami HV TRACK in constant current for LTwo MAG 842mm - Dimmable with TRIAC - GN 10cm in white	CC	white	TRIAC	18388
Lumami HV TRACK in constant current for LTwo MAG 842mm - Dimmable with TRIAC - GN 10cm in black	CC	black	TRIAC	18389
Lumami HV TRACK in constant current for LTwo MAG 142-842mm - Non dimmable - GN 10cm in white	CC	white	-	15258
Lumami HV TRACK in constant current for LTwo MAG 142-842mm - Non dimmable - GN 10cm in black	CC	black	-	15259
Lumami HV TRACK in constant voltage for LTwo MAG 142-1402mm - Non dimmable - GN 10cm in white	CV	white	-	15260
Lumami HV TRACK in constant voltage for LTwo MAG 142-1402mm - Non dimmable - GN 10cm in black	CV	black	-	15261

## Konfiguration der Leuchte / *Configuration of the luminaire*



### Lumami®

1x Lumami® HV TRACK with 10 cm gooseneck



<https://apl.ag/products/lumami/hvtrack>

+



### LTwo®

1x LTwo® MAG in constant current or constant voltage



<https://apl.ag/products/ltwo/ltwomag>

=



### Lumami® + LTwo®

Fertig konfigurierte Leuchte für dein Projekt.

*Ready configured luminaire for your project.*



1

2

3

4

A

A

B

B

C


C



D

D

E

E



INDEX	TITLE	DATE	NAME	 APL AG Lahnstr. 30 45478 Mülheim Germany		DATE	NAME
					CREATOR	28.05.2025	Bleul
					CONTROL		
				APPROVAL			
				Lumami® HV TRACK with gooseneck			
					 M = 1 : 2	1/1	
						A4	

1

2

3

4

F

F