


# Lumami® HV TRACK

## Rod 10 cm



### Produktbeschreibung

Lumami® HV TRACK mit 10 cm Pendelrohr. Die lineare Stromschienenleuchte. Verfügbar in Weiß und Schwarz, mit und ohne Dimmung. Zur Verwendung der LTwo® MAG in Konstantstrom oder Konstantspannung von 360 bis 6.400 Lumen und 12 verschiedenen Optiken (von Narrowspot, über Wide Flood (UGR<19) bis Wallwasher). Kompatibel mit vielen handelsüblichen 3-Phasen Stromschienen.

### Product description

Lumami® HV TRACK with 10 cm rod. The linear track luminaire. Available in white and black, with and without dimming. For use with LTwo® MAG in constant current or constant voltage from 360 to 6,400 lumens and 12 different optics (from narrow spot to wide flood (UGR<19) to wallwasher). Compatible with many commercially available 3-phase tracks.

### Produkteigenschaften / Product features



Product	OP	Color	Dim	Art. Nr.
Lumami HV TRACK in constant current for LTwo MAG 562-1122mm - Dimmable with CASAMBI - Rod 10cm in white	CC	white	CASAMBI	15210
Lumami HV TRACK in constant current for LTwo MAG 562-1122mm - Dimmable with CASAMBI - Rod 10cm in black	CC	black	CASAMBI	15211
Lumami HV TRACK in constant current for LTwo MAG 1402mm - Dimmable with CASAMBI - Rod 10cm in white	CC	white	CASAMBI	15212
Lumami HV TRACK in constant current for LTwo MAG 1402mm - Dimmable with CASAMBI - Rod 10cm in black	CC	black	CASAMBI	15213
Lumami HV TRACK in constant current for LTwo MAG 282-842mm - Dimmable with DALI - Rod 10cm in white	CC	white	DALI	18400
Lumami HV TRACK in constant current for LTwo MAG 282-842mm - Dimmable with DALI - Rod 10cm in black	CC	black	DALI	18401
Lumami HV TRACK in constant current for LTwo MAG 842mm - Dimmable with TRIAC - Rod 10cm in white	CC	white	TRIAC	18360
Lumami HV TRACK in constant current for LTwo MAG 842mm - Dimmable with TRIAC - Rod 10cm in black	CC	black	TRIAC	18361
Lumami HV TRACK in constant current for LTwo MAG 142-842mm - Non dimmable - Rod 10cm in white	CC	white	-	15216
Lumami HV TRACK in constant current for LTwo MAG 142-842mm - Non dimmable - Rod 10cm in black	CC	black	-	15217
Lumami HV TRACK in constant voltage for LTwo MAG 142-1402mm - Non dimmable - Rod 10cm in white	CV	white	-	15218
Lumami HV TRACK in constant voltage for LTwo MAG 142-1402mm - Non dimmable - Rod 10cm in black	CV	black	-	15219

## Konfiguration der Leuchte / Configuration of the luminaire



### Lumami®

1x Lumami® HV TRACK with 10 cm rod



<https://apl.ag/products/lumami/hvtrack>



### LTwo®

1x LTwo® MAG in constant current or constant voltage



<https://apl.ag/products/ltwo/ltwomag>






### Lumami® + LTwo®

Fertig konfigurierte Leuchte für dein Projekt.

*Ready configured luminaire for your project.*





INDEX	TITLE	DATE	NAME		APL AG Lahnstr. 30 45478 Mülheim Germany		DATE	NAME
						CREATOR	28.05.2025	Bleul
						CONTROL		
				APPROVAL				
				Lumami® HV TRACK with rod				
							M = 1 : 2	1/1
						A4		