


# Lumami® HV TRACK

## Rod 30 cm



### Produktbeschreibung

Lumami® HV TRACK mit 30 cm Pendelrohr. Die lineare Stromschienenleuchte. Verfügbar in Weiß und Schwarz, mit und ohne Dimmung. Zur Verwendung der LTwo® MAG in Konstantstrom oder Konstantspannung von 360 bis 6.400 Lumen und 12 verschiedenen Optiken (von Narrowspot, über Wide Flood (UGR<19) bis Wallwasher). Kompatibel mit vielen handelsüblichen 3-Phasen Stromschienen.

### Product description

Lumami® HV TRACK with 30 cm rod. The linear track luminaire. Available in white and black, with and without dimming. For use with LTwo® MAG in constant current or constant voltage from 360 to 6,400 lumens and 12 different optics (from narrow spot to wide flood (UGR<19) to wallwasher). Compatible with many commercially available 3-phase tracks.

### Produkteigenschaften / Product features



Product	OP	Color	Dim	Art. Nr.
Lumami HV TRACK in constant current for LTwo MAG 562-1122mm - Dimmable with CASAMBI - Rod 30cm in white	CC	white	CASAMBI	15224
Lumami HV TRACK in constant current for LTwo MAG 562-1122mm - Dimmable with CASAMBI - Rod 30cm in black	CC	black	CASAMBI	15225
Lumami HV TRACK in constant current for LTwo MAG 1402mm - Dimmable with CASAMBI - Rod 30cm in white	CC	white	CASAMBI	15226
Lumami HV TRACK in constant current for LTwo MAG 1402mm - Dimmable with CASAMBI - Rod 30cm in black	CC	black	CASAMBI	15227
Lumami HV TRACK in constant current for LTwo MAG 282-842mm - Dimmable with DALI - Rod 30cm in white	CC	white	DALI	18402
Lumami HV TRACK in constant current for LTwo MAG 282-842mm - Dimmable with DALI - Rod 30cm in black	CC	black	DALI	18403
Lumami HV TRACK in constant current for LTwo MAG 842mm - Dimmable with TRIAC - Rod 30cm in white	CC	white	TRIAC	18384
Lumami HV TRACK in constant current for LTwo MAG 842mm - Dimmable with TRIAC - Rod 30cm in black	CC	black	TRIAC	18385
Lumami HV TRACK in constant current for LTwo MAG 142-842mm - Non dimmable - Rod 30cm in white	CC	white	-	15230
Lumami HV TRACK in constant current for LTwo MAG 142-842mm - Non dimmable - Rod 30cm in black	CC	black	-	15231
Lumami HV TRACK in constant voltage for LTwo MAG 142-1402mm - Non dimmable - Rod 30cm in white	CV	white	-	15232
Lumami HV TRACK in constant voltage for LTwo MAG 142-1402mm - Non dimmable - Rod 30cm in black	CV	black	-	15233

## Konfiguration der Leuchte / Configuration of the luminaire



### Lumami®

1x Lumami® HV TRACK with 30 cm rod



<https://apl.ag/products/lumami/hvtrack>



### LTWO®

1x LTWO® MAG in constant current or constant voltage



<https://apl.ag/products/ltwo/ltwomag>




### Lumami® + LTWO®


Fertig konfigurierte Leuchte für dein Projekt.

*Ready configured luminaire for your project.*





INDEX	TITLE	DATE	NAME



APL AG  
Lahnstr. 30  
45478 Mülheim  
Germany

	DATE	NAME
CREATOR	28.05.2025	Bleul
CONTROL		
APPROVAL		

Lumami® HV TRACK  
with rod



M = 1 : 2	1/1
	A4