


Lumami® HV TRACK

Rod 90 cm



Produktbeschreibung

Lumami® HV TRACK mit 90 cm Pendelrohr. Die lineare Stromschienenleuchte. Verfügbar in Weiß und Schwarz, mit und ohne Dimmung. Zur Verwendung der LTwo® MAG in Konstantstrom oder Konstantspannung von 360 bis 6.400 Lumen und 12 verschiedenen Optiken (von Narrowspot, über Wide Flood (UGR<19) bis Wallwasher). Kompatibel mit vielen handelsüblichen 3-Phasen Stromschienen.

Product description

Lumami® HV TRACK with 90 cm rod. The linear track luminaire. Available in white and black, with and without dimming. For use with LTwo® MAG in constant current or constant voltage from 360 to 6,400 lumens and 12 different optics (from narrow spot to wide flood (UGR<19) to wallwasher). Compatible with many commercially available 3-phase tracks.

Produkteigenschaften / Product features



Product	OP	Color	Dim	Art. Nr.
Lumami HV TRACK in constant current for LTwo MAG 562-1122mm - Dimmable with CASAMBI - Rod 90cm in white	CC	white	CASAMBI	15238
Lumami HV TRACK in constant current for LTwo MAG 562-1122mm - Dimmable with CASAMBI - Rod 90cm in black	CC	black	CASAMBI	15239
Lumami HV TRACK in constant current for LTwo MAG 1402mm - Dimmable with CASAMBI - Rod 90cm in white	CC	white	CASAMBI	15240
Lumami HV TRACK in constant current for LTwo MAG 1402mm - Dimmable with CASAMBI - Rod 90cm in black	CC	black	CASAMBI	15241
Lumami HV TRACK in constant current for LTwo MAG 282-842mm - Dimmable with DALI - Rod 90cm in white	CC	white	DALI	18404
Lumami HV TRACK in constant current for LTwo MAG 282-842mm - Dimmable with DALI - Rod 90cm in black	CC	black	DALI	18405
Lumami HV TRACK in constant current for LTwo MAG 842mm - Dimmable with TRIAC - Rod 90cm in white	CC	white	TRIAC	18386
Lumami HV TRACK in constant current for LTwo MAG 842mm - Dimmable with TRIAC - Rod 90cm in black	CC	black	TRIAC	18387
Lumami HV TRACK in constant current for LTwo MAG 142-842mm - Non dimmable - Rod 90cm in white	CC	white	-	15244
Lumami HV TRACK in constant current for LTwo MAG 142-842mm - Non dimmable - Rod 90cm in black	CC	black	-	15245
Lumami HV TRACK in constant voltage for LTwo MAG 142-1402mm - Non dimmable - Rod 90cm in white	CV	white	-	15246
Lumami HV TRACK in constant voltage for LTwo MAG 142-1402mm - Non dimmable - Rod 90cm in black	CV	black	-	15247

Konfiguration der Leuchte / *Configuration of the luminaire*



Lumami®

1x Lumami® HV TRACK with 90 cm rod



<https://apl.ag/products/lumami/hvtrack>

+



LTWO®

1x LTWO® MAG in constant current or constant voltage



<https://apl.ag/products/ltwo/ltwomag>


=






Lumami® + LTWO®

Fertig konfigurierte Leuchte für dein Projekt.

Ready configured luminaire for your project.





INDEX	TITLE	DATE	NAME		APL AG Lahnstr. 30 45478 Mülheim Germany		DATE	NAME
						CREATOR	28.05.2025	Bleul
						CONTROL		
				APPROVAL				
				Lumami® HV TRACK with rod				
							M = 1 : 2	1/1
						A4		