


Lumami® HV TRACK

Swivel-Tilt Joint



Produktbeschreibung

Lumami® HV TRACK mit Dreh- und Kippgelenk. Die lineare Stromschienenleuchte.

Verfügbar in Weiß und Schwarz, mit und ohne Dimmung. Zur Verwendung der LTwo® MAG in Konstantstrom oder Konstantspannung von 360 bis 6.400 Lumen und 12 verschiedenen Optiken (von Narrowsspot, über Wide Flood (UGR<19) bis Wallwasher). Kompatibel mit vielen handelsüblichen 3-Phasen Stromschienen.

Product description

Lumami® HV TRACK with Swivel-Tilt Joint. The linear track luminaire. Available in white and black, with and without dimming. For use with LTwo® MAG in constant current or constant voltage from 360 to 6,400 lumens and 12 different optics (from narrow spot to wide flood (UGR<19) to wallwasher). Compatible with many commercially available 3-phase tracks.

Produkteigenschaften / Product features



Product	OP	Color	Dim	Art. Nr.
Lumami HV TRACK in constant current for LTwo MAG 562-1122mm - Dimmable with CASAMBI - STJ in white	CC	white	CASAMBI	15196
Lumami HV TRACK in constant current for LTwo MAG 562-1122mm - Dimmable with CASAMBI - STJ in black	CC	black	CASAMBI	15197
Lumami HV TRACK in constant current for LTwo MAG 1402mm - Dimmable with CASAMBI - STJ in white	CC	white	CASAMBI	15198
Lumami HV TRACK in constant current for LTwo MAG 1402mm - Dimmable with CASAMBI - STJ in black	CC	black	CASAMBI	15199
Lumami HV TRACK in constant current for LTwo MAG 282-842mm - Dimmable with DALI - STJ in white	CC	white	DALI	18398
Lumami HV TRACK in constant current for LTwo MAG 282-842mm - Dimmable with DALI - STJ in black	CC	black	DALI	18399
Lumami HV TRACK in constant current for LTwo MAG 842mm - Dimmable with TRIAC - STJ in white	CC	white	TRIAC	18382
Lumami HV TRACK in constant current for LTwo MAG 842mm - Dimmable with TRIAC - STJ in black	CC	black	TRIAC	18383
Lumami HV TRACK in constant current for LTwo MAG 142-842mm - Non dimmable - STJ in white	CC	white	-	15202
Lumami HV TRACK in constant current for LTwo MAG 142-842mm - Non dimmable - STJ in black	CC	black	-	15203
Lumami HV TRACK in constant voltage for LTwo MAG 142-1402mm - Non dimmable - STJ in white	CV	white	-	15204
Lumami HV TRACK in constant voltage for LTwo MAG 142-1402mm - Non dimmable - STJ in black	CV	black	-	15205

Konfiguration der Leuchte / *Configuration of the luminaire*



Lumami®

1x Lumami® HV TRACK with Swivel-Tilt Joint



<https://apl.ag/products/lumami/hvtrack>

+



LTwo®

1x LTwo® MAG in constant current or constant voltage



<https://apl.ag/products/ltwo/ltwomag>

=



Lumami® + LTwo®

Fertig konfigurierte Leuchte für dein Projekt.

Ready configured luminaire for your project.



1 2 3 4

A


A

B

B


C

C





D

D



E

E

INDEX	TITLE	DATE	NAME	 APL AG Lahnstr. 30 45478 Mülheim Germany		DATE	NAME
					CREATOR	28.05.2025	Bleul
					CONTROL		
				APPROVAL			
				Lumami® HV TRACK with STJ			
					 M = 1 : 2	1/1	
						A4	

F

F

1 2 3 4